

## EAST Search History

| Ref # | Hits | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|--|--|------------------|---------|------------------|
| L2    | 23   | offset with ratio with (scal\$4 or magnif\$7 or zoom\$4) same image and sampl\$4 and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 08:47 |
| L3    | 5    | offset with ratio with (scal\$4 or magnif\$7 or zoom\$4) same (zero or "0") and sampl\$4 with (frame or image or pixel)                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 08:54 |
| L4    | 7    | offset with ratio with (scal\$4 or magnif\$7 or zoom\$4) same (zero or "0" or no or "not" or none) and sampl\$4 with (frame or image or pixel) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 08:55 |
| L6    | 667  | offset with (zero or "0") same (scal\$4 or magnification or zoom\$4) and sampl\$4 and frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 09:34 |
| L7    | 176  | offset with (zero or "0") same (scal\$4 or magnification or zoom\$4) and sampl\$4 with pixel and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 09:37 |
| L8    | 451  | offset with half and sampl\$4 with pixel and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 09:37 |
| L9    | 33   | offset with half same sampl\$4 with pixel and frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/08/27 09:44 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| L10 | 165  | offset with sampl\$4 with position same pixel and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 09:53 |
| L11 | 6    | offset with sampl\$4 with position with (difference or subtract\$4) same pixel and frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 09:55 |
| L12 | 6    | offset with sampl\$4 with position with (difference or subtract\$4 or differential\$3) same pixel and frame                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 09:55 |
| L13 | 7    | offset with sampl\$4 with (position or coordiante or location) with (difference or subtract\$4 or differential\$3) same pixel and frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 09:56 |
| L14 | 10   | offset with sampl\$4 with (position or coordinate or location) with (difference or subtract\$4 or differential\$3) same pixel and frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 10:05 |
| L15 | 15   | offset with (position or coordinate or location) with (difference or subtract\$4 or differential\$3) same pixel same sampl\$4 and frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 10:06 |
| S1  | 2060 | 382/298-300.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:51 |

## EAST Search History

|    |    |  |  |    |    |                  |
|----|----|--|--|----|----|------------------|
| S2 | 80 | 382/298-300.ccls. and pixel with skip\$4                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:51 |
| S3 | 40 | 382/298-300.ccls. and pixel with skip\$4 and frame                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:55 |
| S4 | 38 | 382/298-300.ccls. and pixel with sampling with position and frame            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:55 |
| S5 | 1  | 382/298-300.ccls. and pixel with sampling with position and even near4 frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:56 |
| S6 | 2  | 382/298-300.ccls. and pixel with sampling with position and interlace        | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:57 |
| S7 | 38 | 382/298-300.ccls. and pixel with sampling with position and frame            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 08:57 |
| S8 | 63 | 382/298-300.ccls. and sampling with position and frame                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:02 |

## EAST Search History

|     |    |   |  |    |    |                  |
|-----|----|---|--|----|----|------------------|
| S9  | 1  | 382/298-300.ccls. and sampling with position and even adj2 frame                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:03 |
| S10 | 1  | 382/298-300.ccls. and sampling with (even adj2 frame)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:03 |
| S11 | 0  | 382/298-300.ccls. and sampling with (odd adj2 frame)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:03 |
| S12 | 57 | 382/298-300.ccls. and sampling with ( frame)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:04 |
| S13 | 9  | 382/298-300.ccls. and (select\$4 or choos\$4 or choice) with sampling with ( frame)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:05 |
| S14 | 14 | 382/298-300.ccls. and (select\$4 or choos\$4 or choice) with sampl\$4 with ( frame)               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:10 |
| S15 | 4  | 382/298-300.ccls. and (select\$4 or choos\$4 or choice) with sampl\$4 same position with ( frame) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:14 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S16 | 226 | sampl\$4 with (position or coordinate or location) and even adj frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:16 |
| S17 | 26  | select\$4 with sampl\$4 with (position or coordinate or location) and even adj frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:28 |
| S18 | 26  | (select\$4 or choice or choos\$4) with sampl\$4 with (position or coordinate or location) and even adj frame                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:30 |
| S19 | 253 | (select\$4 or choice or choos\$4) with sampl\$4 with (position or coordinate or location) and (even or second) adj frame          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:31 |
| S20 | 138 | (select\$4 or choice or choos\$4) near5 (position or coordinate or location)with sample and (even or second) adj frame            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:34 |
| S21 | 35  | (select\$4 or choice or choos\$4) near5 (position or coordinate or location)with sample with pixel and (even or second) adj frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:55 |
| S22 | 57  | (position or coordinate or location)with sample with pixel same (even or second) adj frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 09:56 |

## EAST Search History

|     |         |  |  |    |    |                  |
|-----|---------|--|--|----|----|------------------|
| S23 | 2780761 | interpolat\$4 with second frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:46 |
| S24 | 890     | interpolat\$4 with second near3 frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:47 |
| S25 | 586     | interpolat\$4 with second near3 frame with first   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:47 |
| S26 | 434     | interpolat\$4 with second near3 frame with first near3 frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:47 |
| S27 | 137     | interpolat\$4 with second near3 frame with first near3 frame and sampl\$4 with frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:49 |
| S28 | 325     | (interpolat\$4 or reproduc\$4 or scal\$4) with second near3 frame with first near3 frame and sampl\$4 with frame                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:49 |
| S29 | 372     | (interpolat\$4 or reproduc\$4 or scal\$4 or reconstruct\$4) with second near3 frame with first near3 frame and sampl\$4 with frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:50 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S30 | 82  | (interpolat\$4 or reproduc\$4 or scal\$4 or reconstruct\$4) with second near3 frame with first near3 frame and sampl\$4 with frame with pixel | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 12:59 |
| S31 | 304 | offset with ("0" or zero) with residual   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:00 |
| S32 | 1   | offset with ("0" or zero) with residual same sampl\$4 same pixel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:00 |
| S33 | 191 | offset with ("0" or zero) same sampl\$4 same pixel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:02 |
| S34 | 55  | offset with ("0" or zero) with sampl\$4 same pixel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:42 |
| S35 | 110 | offset with (difference or subtract\$4) with sampl\$4 same pixel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:42 |
| S36 | 128 | offset with (difference or subtract\$4 or differential\$4) with sampl\$4 same pixel   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:44 |

## EAST Search History

|     |    |   |  |    |    |                  |
|-----|----|---|--|----|----|------------------|
| S37 | 67 | offset with (difference or subtract\$4 or differential\$4) with sampl\$4 same pixel and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:47 |
| S38 | 8  | offset with (difference or subtract\$4 or differential\$4) with sampl\$4 with horizontal same pixel and frame                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:51 |
| S39 | 6  | offset with (difference or subtract\$4 or differential\$4) with sampl\$4 with horizontal same pixel and frame and offset with ("0" or zero) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:52 |
| S40 | 9  | offset with (difference or subtract\$4 or differential\$4) with sampl\$4 with horizontal and frame and offset with ("0" or zero)            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:53 |
| S41 | 16 | offset with horizontal with pixel with sampl\$4 and frame and offset with ("0" or zero)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:55 |
| S42 | 2  | offset with horizontal with pixel with sampl\$4 with output and frame and offset with ("0" or zero)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:56 |
| S43 | 2  | offset with horizontal with pixel with output same sampl\$4 and frame and offset with ("0" or zero)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:56 |



## EAST Search History

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S44 | 14  | offset with horizontal with output same sampl\$4 and frame and offset with ("0" or zero)                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:56 |
| S45 | 6   | offset with horizontal with output with input same sampl\$4 and frame and offset with ("0" or zero)                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:58 |
| S46 | 7   | offset with horizontal with output with input same sampl\$4 and frame and offset with ("0" or zero or no)          | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:59 |
| S47 | 7   | offset with horizontal with output with input same sampl\$4 and frame and offset with ("0" or zero or no or "not") | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 13:59 |
| S48 | 14  | offset with horizontal with output with input same sampl\$4 and frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:02 |
| S49 | 429 | offset with output with input same sampl\$4 and frame  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:02 |
| S50 | 19  | offset with output with input with pixel same sampl\$4 and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:07 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| S51 | 79   | offset with output with input with (difference or subtract\$4 or differential\$4 or minus) same sampl\$4 and frame     | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:14 |
| S52 | 1598 | offset with (difference or subtract\$4 or differential\$4 or minus) same sampl\$4 and frame                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:14 |
| S53 | 1    | offset with (difference or subtract\$4 or differential\$4 or minus) same sampl\$4 same residue and frame               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:20 |
| S54 | 1598 | offset with (difference or subtract\$4 or differential\$4 or minus) same sampl\$4 and frame                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:21 |
| S55 | 789  | offset with (difference or subtract\$4 or differential\$4 or minus) with sampl\$4 and frame                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:21 |
| S56 | 59   | offset with (difference or subtract\$4 or differential\$4 or minus) with sampl\$4 same scal\$4 and frame               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 14:22 |
| S57 | 45   | offset with (difference or subtract\$4 or differential\$4 or minus) with sampl\$4 same scal\$4 and sampl\$4 with frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:09 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S58 | 663 | offset with half with sampl\$4  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:10 |
| S59 | 54  | offset with half with sampl\$4 same pixel   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:10 |
| S60 | 71  | offset with (half or "1/2") with sampl\$4 same pixel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:10 |
| S61 | 84  | offset with (half or "1/2" or "0.5") with sampl\$4 same pixel   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:12 |
| S62 | 52  | offset with (half or "1/2" or "0.5") with sampl\$4 same pixel and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:15 |
| S63 | 16  | offset with (half or "1/2" or "0.5") with sampl\$4 with (difference or subtract\$4 or differential\$4) same pixel and frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:22 |
| S64 | 0   | offset with scal\$4 near2 ration with sampl\$4 same pixel and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:23 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S65 | 0  | offset with scal\$4 near2 ratio with sampl\$4 same pixel and frame | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:23 |
| S66 | 63 | offset with scal\$4 with sampl\$4 same pixel and frame             | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:24 |
| S67 | 32 | offset with ratio with sampl\$4 same pixel and frame               | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:25 |
| S68 | 43 | offset with ratio with scal\$4 and sampl\$4 and frame              | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/24 15:28 |
| S69 | 13 | offset with ratio with scal\$4 same image and sampl\$4 and frame   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/08/27 08:11 |


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((sample\* &lt;near&gt; frame&lt;in&gt;metadata))&lt;and&gt;(position or location&lt;in&gt;metadata))"

☒ e-mail

Your search matched 39 of 368 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

((((sample\* &lt;near&gt; frame&lt;in&gt;metadata))&lt;and&gt;(position or location&lt;in&gt;metadata)))&lt;a

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [Select All](#) [Deselect All](#)

- ☐ 1. A 375 /spl times/ 365 high-speed 3-D range-finding image sensor using rc search architecture and multisampling technique  
Oike, Y.; Ikeda, M.; Asada, K.;  
[Solid-State Circuits, IEEE Journal of](#)  
Volume 40, Issue 2, Feb. 2005 Page(s):444 - 453  
Digital Object Identifier 10.1109/JSSC.2004.841017  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1096 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 2. A 128×128-pixel standard-CMOS image sensor with electronic shutter  
Chye Huat Aw; Wooley, B.A.;  
[Solid-State Circuits, IEEE Journal of](#)  
Volume 31, Issue 12, Dec. 1996 Page(s):1922 - 1930  
Digital Object Identifier 10.1109/4.545814  
[AbstractPlus](#) | Full Text: [PDF\(1204 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 3. Superview 3D image warping for visibility gap errors  
Bao, P.; Gourlay, D.;  
[Consumer Electronics, IEEE Transactions on](#)  
Volume 49, Issue 1, Feb. 2003 Page(s):177 - 182  
Digital Object Identifier 10.1109/TCE.2003.1205473  
[AbstractPlus](#) | Full Text: [PDF\(751 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
- ☐ 4. Active face and feature tracking  
Jordao, L.; Perrone, M.; Costeira, J.P.; Santos-Victor, J.;  
[Image Analysis and Processing, 1999. Proceedings. International Conference](#)  
27-29 Sept. 1999 Page(s):572 - 576  
Digital Object Identifier 10.1109/ICIAP.1999.797657  
[AbstractPlus](#) | Full Text: [PDF\(152 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐ 5. CCD-based system for three-dimensional real-time positioning  
Pan Li; Zhang Qian; Xiao Xinshu; Ding HaiShu; Wang Guangzhi; Zhao Ping;  
[Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th A](#)  
[International Conference of the IEEE](#)  
Volume 5, 29 Oct.-1 Nov. 1998 Page(s):2503 - 2506 vol.5